Mathematics Florida Standards	Florida Standards Assessment: Algebra 1
Reporting Category: Algebra and Modeling	
MAFS.912.A-APR.1.1 Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	6.2, 6.3, 6.4
MAFS.912.A-CED.1.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational, absolute value, and exponential functions.	2.3
MAFS.912.A-CED.1.2 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.	3.1, 3.3, 4.1, 4.3, 8.5, 10.4
MAFS.912.A-CED.1.3 Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.	4.4
MAFS.912.A-CED.1.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R.	1.3
MAFS.912.A-REI.1.1 Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.	1.3
MAFS.912.A-REI.2.3 Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.	1.2, 1.4
MAFS.912.A-REI.2.4 Solve quadratic equations in one variable.	8.1
MAFS.912.A-REI.2.4a Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.	8.1
MAFS.912.A-REI.2.4b Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula, and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions, and write them as $a \pm bi$ for real numbers a and b .	8.1
MAFS.912.A-REI.3.5 Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.	4.3
MAFS.912.A-REI.3.6 Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.	4.1, 4.2, 4.3
MAFS.912.A-REI.3.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the point of intersection between the line $y = -3x$ and $x^2 + y^2 = 3$.	9.4
MAFS.912.A-REI.4.10 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).	2.2, 3.1, 3.2

Mathematics Florida Standards	Florida Standards Assessment: Algebra 1
MAFS.912.A-REI.4.11 Explain why the <i>x</i> -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.	9.4
MAFS.912.A-REI.4.12 Graph solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.	3.4, 4.4
MAFS.912.A-SSE.1.1 Interpret expressions that represent a quantity in terms of its context.	6.1
MAFS.912.A-SSE.1.1a Interpret parts of an expression, such as terms, factors, and coefficients.	6.1
MAFS.912.A-SSE.1.1b Interpret complicated expressions by viewing one or more of the parts as a single entity. For example, interpret $P(1 + r)^n$ as the product of P and a factor not depending on P.	6.1
MAFS.912.A-SSE.1.2 Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.	7.1, 7.2, 7.3, 7.4, 7.5
MAFS.912.A-SSE.2.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.	7.5, 8.2, 8.3, 8.5, 10.5
MAFS.912.A-SSE.2.3a Factor a quadratic expression to reveal the zeros of the function it defines.	7.5
MAFS.912.A-SSE.2.3b Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.	8.2, 8.3, 8.5
MAFS.912.A-SSE.2.3c Use the properties of exponents to transform expressions for exponential functions. For example, the expression 1.15 ^t can be rewritten as (1.15 ^{1/12}) ^{12t} 1.012 ^{12t} to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.	10.3, 10.5
Reporting Category: Functions and Modeling	
MAFS.912.A-APR.2.3 Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.	9.2
MAFS.912.F-BF.1.1 Write a function that describes a relationship between two quantities.	2.2, 11.3, 12.5
MAFS.912.F-BF.1.1a Determine an explicit expression, a recursive process, or steps for calculation from a context.	11.3
MAFS.912.F-BF.1.1b Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.	12.5

Mathematics Florida Standards	Florida Standards Assessment: Algebra 1
MAFS.912.F-BF.1.1c Compose functions. For example, if T(y) is the temperature in the atmosphere as a function of height, and h(t) is the height of a weather balloon as a function of time, then T(h(t)) is the temperature at the location of the weather balloon as a function of time.	12.5
MAFS.912.F-BF.2.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.	5.4, 5.5, 5.6, 5.7, 8.4, 9.3, 12.3, 12.4
MAFS.912.F-IF.1.1 Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If f is a function and x is an element of its domain, then $f(x)$ denotes the output of f corresponding to the input f . The graph of f is the graph of the equation f is the graph of the equation f is the graph of f is the g	2.4, 2.6
MAFS.912.F-IF.1.2 Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.	2.5
MAFS.912.F-IF.1.3 Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$, $f(n + 1) = f(n) + f(n - 1)$ f for $n \ge 1$.	12.6, 12.7, 12.8
MAFS.912.F-IF.2.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.	8.3, 8.5, 9.1
MAFS.912.F-IF.2.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function h(n) gives the number of person-hours it takes to assemble engines in a factory, then the positive integers would be an appropriate domain for the function.	2.5
MAFS.912.F-IF.2.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.	2.1
MAFS.912.F-IF.3.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.	3.1, 3.2, 5.1, 5.2, 5.3, 8.4, 9.1, 9.2, 10.5, 10.6, 11.3, 12.1, 12.3, 12.4
MAFS.912.F-IF.3.7a Graph linear and quadratic functions and show intercepts, maxima, and minima.	3.1, 3.2, 8.4, 11.3
MAFS.912.F-IF.3.7b Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.	5.1, 5.2, 5.3, 12.3, 12.4
MAFS.912.F-IF.3.7c Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.	9.1, 9.2
MAFS.912.F-IF.3.7d Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.	12.2

Mathematics Florida Standards	Florida Standards Assessment: Algebra 1
MAFS.912.F-IF.3.7e Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude, and using phase shift.	10.5, 10.6, 11.3, 12.1
MAFS.912.F-IF.3.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.	8.2, 10.3
MAFS.912.F-IF.3.8a Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.	8.2
MAFS.912.F-IF.3.8b Use the properties of exponents to interpret expressions for exponential functions. For example, identify percent rate of change in functions such as , $y = (1.02)^t$, $y = (.097)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/10}$ and classify them as representing exponential growth or decay.	10.3
MAFS.912.F-IF.3.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.	11.3
MAFS.912.F-LE.1.1 Distinguish between situations that can be modeled with linear functions and with exponential functions.	11.1, 11.2
MAFS.912.F-LE.1.1a Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals.	11.1, 11.2
MAFS.912.F-LE.1.1b Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.	11.1, 11.2
MAFS.912.F-LE.1.1c Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.	11.1, 11.2
MAFS.912.F-LE.1.2 Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).	2.2, 12.7, 12.8
MAFS.912.F-LE.1.3 Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	11.1
MAFS.912.F-LE.2.5 Interpret the parameters in a linear or exponential function in terms of a context.	3.2, 10.3
MAFS.912.S-ID.3.7 Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.	14.1
Reporting Category: Statistics and the Number System	
MAFS.912.N-Q.1.1* Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.	3.1
MAFS.912.N-Q.1.2* Define appropriate quantities for the purpose of descriptive modeling.	3.1
MAFS.912.N-Q.1.3* Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	1.5

Mathematics Florida Standards	Florida Standards Assessment: Algebra 1
MAFS.912.N-RN.1.1 Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. <i>For</i>	10.1
example, we define $5^{\frac{1}{3}}$ to be the cube root of 5 because we want $(5^{\frac{1}{3}})^3 = 5^{(\frac{1}{3})^3}$ to	
hold, so $(5^{\frac{1}{3}})^3$ must equal 5.	
MAFS.912.N-RN.1.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents.	10.1, 10.2
MAFS.912.N-RN.2.3 Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.	1.1
MAFS.912.S-ID.1.1 Represent data with plots on the real number line (dot plots, histograms, and box plots).	13.1
MAFS.912.S-ID.1.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.	13.3
MAFS.912.S-ID.1.3 Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).	13.4
MAFS.912.S-ID.2.5 Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.	13.2
MAFS.912.S-ID.2.6 Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.	14.1, 14.2, 14.3
MAFS.912.S-ID.2.6a Fit a function to the data; use function fitted to data to solve problems in context of the data. Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.	14.1, 14.3
MAFS.912.S-ID.2.6b Informally assess the fit of a function by plotting and analyzing residuals.	14.5
MAFS.912.S-ID.2.6c Fit a linear function for a scatter plot that suggests a linear association.	14.1
MAFS.912.S-ID.3.8 Compute (using technology) and interpret the correlation coefficient of a linear fit.	14.2
MAFS.912.S-ID.3.9 Distinguish between correlation and causation.	14.4

^{*}These standards are assessed throughout the exam.